



K_base**K_tech****K_plus****K 16***

				
	mm	mm	kg/m	m
	180	15,5	2,61	
	190	16,0	3,09	
	200	18,0	3,83	
	210	18,0	4,03	
	220	18,0	4,02	
	230	18,0	4,34	3,28
	240	18,0	4,61	3,29
	250	18,0	4,77	3,24

K 17*

				
	mm	mm	kg/m	m
	230	16,5	3,84	2,96
	240	16,5	4,03	3,26
				3,30

K 19**

					
	mm	mm	mm	kg/m	m
	265	305	13,0	4,19	
	287	327	13,0	4,31	
	295	335	13,0	4,32	3,25
	320	360	13,0	4,85	3,44
	335	375	13,0	5,00	
	350		13,0	5,44	2,99
	370		13,0	5,48	2,86
	390		13,0	6,08	2,91

K 20

					
	mm	mm	mm	kg/m	m
	265	305	13,0	4,17	3,28
	287	327	13,0	4,46	3,33
					3,25
					3,30
	295	335	13,0	4,74	3,25
					3,30

K 21

				
	mm	mm	mm	kg/m
	295	335	14,5	5,27

K 22

				
	mm	mm	kg/m	m
	230	15,0	3,81	3,24
	240	15,0	4,02	3,24
	250	15,0	4,37	3,23

K 25



				
mm	mm	mm	kg/m	m
230	260	15,5	4,01	3,27
240	270	15,5	4,24	3,26
250	280	15,5	4,29	3,28
260	290	15,5	4,77	3,08

K 26



			
mm	mm	mm	kg/m
160		12,0	2,13
170		13,0	2,42
180		13,0	2,50
190		14,0	2,62
200		14,0	2,99
210	240	14,5	3,39
220	250	15,0	3,53
230	260	15,0	3,77
240	270	15,5	3,94
250	280	15,5	4,15

K 27



			
mm	mm	mm	kg/m
170	190	11,0	2,27
180	200	12,5	2,47
190	220	12,5	2,65
200	230	12,5	2,74
210	240	12,5	2,84
220	250	12,5	3,33
230	260	12,5	3,42
240	270	12,5	3,57
250	280	12,5	3,85

K 27E



		
mm	mm	kg/m
180	12,5	2,41
190	12,5	2,72
200	12,5	2,79
210	12,5	3,00
220	12,5	3,24
230	12,5	3,41
240	12,5	3,48
250	12,5	3,69

K 28*



				
mm	mm	mm	kg/m	m
220	250	19,5	4,62	2,64
230	260	19,5	4,87	2,93
240	270	19,5	5,00	
250	280	19,5	5,19	

K_base**K_tech****K_plus****K 30**

				
mm	mm	mm	kg/m	m
287	327	14,5	5,28	3,27
295	335	14,5	5,42	3,27
305	345	13,5	5,37	3,27
320	360	14,5	5,81	3,46
335	375	14,5	6,16	

K 31

				
mm	mm	mm	kg/m	m
230	260	18,0	4,74	
240	270	18,0	4,94	3,25
250	270	18,0	5,18	3,28

K 32

				
mm	mm	mm	kg/m	m
265	305	14,5	4,23	3,34
287	327	14,5	4,65	3,25
295	335	14,5	4,81	3,23
				3,29
320	360	14,5	5,30	3,41

K 34

			
mm	mm	kg/m	m
200	17,5	3,78	
210	17,5	4,03	
220	17,5	4,15	
230	17,5	4,35	
240	17,5	4,57	3,25
			3,39
250	17,5	4,69	3,26
260	17,5	5,08	

K 37

			
mm	mm	kg/m	m
230	14,0	3,51	3,01
240	14,0	3,67	
250	14,0	3,78	
260	14,0	3,89	
280	14,5	4,17	

K 40

			
mm	mm	kg/m	m
220	20,5	4,46	3,22
230	20,0	4,79	3,25
240	20,0	4,64	3,25
			3,41
250	20,5	5,12	3,24

K_base**K_tech****K_plus****K 41**

				
	mm	mm	kg/m	m
	220	17,5	4,12	3,26
	230	17,5	4,52	
	240	17,5	4,78	

**KDA 4
K 43**

					
	mm	mm	mm	kg/m	m
	210	240	17,0	3,87	3,14
	230	260	17,0	4,31	2,89
	240	270	17,0	4,51	3,18
	250	280	17,0	4,92	3,15

K 44

				
	mm	mm	kg/m	m
	210	21,0	4,48	3,25
	220	21,0	4,56	
	230	21,0	4,81	
	240	21,0	5,13	
	260	21,0	5,51	

K 45

				
	mm	mm	kg/m	m
	220	19,0	4,30	3,29
	230	19,0	4,88	3,27
	240	19,0	4,95	3,27
	250	19,0	5,00	3,24
	260	19,0	5,49	3,04
				3,25

K 46

				
	mm	mm	kg/m	m
	220	21,5	4,98	3,24
	230	21,5	5,44	3,27
				3,39
	240	21,5	5,56	3,28
				3,35
				3,42
	250	21,5	6,00	3,21
				3,28
				3,42
	260	21,5	6,31	3,28
	270	21,5	6,80	

K 47*

					
	mm	mm	mm	kg/m	m
	230	260	20,5	4,83	2,95
	240	270	20,5	5,20	2,96

K_base**K_tech****K_plus****K 48**

			
mm	mm	kg/m	m
230	21,0	5,00	3,28
240	21,0	5,69	3,28
250	21,0	5,81	3,25
260	21,0	6,35	3,25
270	21,0	6,71	3,07

K 50

			
mm	mm	kg/m	m
130	13,0	1,90	
140	13,0	2,13	
150	13,0	2,22	
160	16,0	2,54	
170	16,0	2,67	
180	16,0	3,17	
190	16,0	3,32	
200	18,5	4,04	
210	18,5	3,94	
220	18,5	4,12	
230	18,5	4,39	3,27
240	18,5	4,46	3,23
			3,39
250	18,5	4,74	3,22
260	18,5	4,80	3,29

K 51

			
mm	mm	kg/m	m
200	18,0	3,80	
210	18,0	4,07	
220	18,0	4,15	3,28
230	18,0	4,38	3,26
240	18,0	4,59	3,26
250	18,0	4,77	3,26
260	18,0	5,16	3,29

K 52

			
mm	mm	kg/m	m
230	260	21,0	5,33
			2,94
240	270	21,0	5,55
			3,24
			2,92
			3,28
250	280	21,0	5,88
260	290	21,0	6,19
			3,26
			3,06
			3,28
270	300	21,0	6,56

K 53

			
mm	mm	kg/m	m
230	18,5	4,30	3,25
240	18,5	4,40	3,29
250	18,5	4,61	3,28

**KDE 2
K 54**

			
mm	mm	kg/m	m
230	21,0	5,24	3,26
240	21,0	5,49	3,28
250	21,0	5,70	3,26
260	21,0	5,97	3,10
			3,28
270	21,0	6,21	3,08
			3,26
280	19,0	5,80	

K 59

				
	mm	mm	kg/m	m
 	230	19,0	4,66	2,92
	240	19,0	4,84	3,28
	250	19,0	5,22	3,25
	260	19,0	5,53	3,25
	260	19,0	5,53	3,24

K 60**

				
	mm	mm	kg/m	m
 	220	20,5	4,58	3,30
	230	20,5	4,90	3,39
	240	20,5	4,99	3,24
	240	20,5	4,99	3,38


K 61

					
	mm	mm	mm	kg/m	m
 	230	260	19,0	4,87	3,28
	240	270	19,0	5,24	3,23
					3,39
	250	280	19,0	5,44	3,24
					3,24

K 62


				
	mm	mm	kg/m	m
 	230	19,5	4,73	3,36
	240	19,5	5,12	3,24
				3,34
	250	19,5	5,35	3,30

K 73

				
	mm	mm	kg/m	m
 	250	16,5	4,65	2,76
	260	16,5	4,88	2,87
				3,07
	270	16,5	5,05	2,86
				3,04
	280	16,5	5,27	

K 74


				
	mm	mm	kg/m	m
 	230	16,5	4,05	
	240	16,5	4,20	
	250	16,5	4,41	2,78
	260	16,5	4,54	3,08
	270	16,5	4,47	3,06
	280	16,5	4,84	

K_base**K_tech****K_plus****K 102**

				
mm	mm	mm	kg/m	
295	335	14,5	5,52	

K 103

				
mm	mm	mm	kg/m	m
295	325	18,0	6,23	3,29

K 105

				
mm	mm	mm	kg/m	m
287	327	14,5	5,24	3,27
295	335	14,5	5,40	3,27

KDR


				
mm	mm	mm	kg/m	m
245	275	19,0	5,43	3,25
260	290	19,0	5,68	3,21

K 729
K 202

			
mm	mm	kg/m	m
240	22,5	5,71	
250	22,5	5,98	3,24
260	22,5	6,24	3,24
270	22,5	6,65	3,34
280	22,5	6,87	3,04

KDA2e
K 203

			
mm	mm	kg/m	m
250	17,5	4,81	
260	17,5	5,15	3,22
270	17,5	5,41	3,03
280	17,5	5,64	

K_base**K_tech****K_plus****K 204**

			
mm	mm	kg/m	m
230	20,0	5,00	2,95
240	20,0	5,35	2,94
250	20,0	5,40	
260	20,0	5,64	
275	20,0	5,79	

K 207

			
mm	mm	kg/m	m
230	20,5	5,19	3,25
240	20,5	5,52	3,24
250	20,5	5,90	3,24
260	20,5	6,05	3,24

**KDY3
K 208**

			
mm	mm	kg/m	m
230	22,5	5,63	
240	22,5	5,69	3,27
			3,41
250	22,5	6,19	3,25
			3,39
260	22,5	6,35	3,25
270	22,5	6,78	3,23

K 212

			
mm	mm	kg/m	m
240	20,0	5,56	3,40
250	20,0	5,74	3,23

K 213

		
mm	mm	kg/m
230	19,5	4,91
240	19,5	5,08
250	19,5	5,28
260	19,5	5,54
270	19,5	5,74

KZU+

				
mm	mm	mm	kg/m	m
230	260	18,5	4,99	2,92
240	270	18,5	5,12	2,94
				3,18
250	280	18,5	5,38	2,94

K_base**K_tech****K_plus****K 730**
K 215

				
	mm	mm	kg/m	m
	250	18,5	5,09	3,25
	260	18,5	5,36	3,23
	270	18,5	5,63	3,07
	280	18,5	5,72	
				
				
				
				
				
				
				
				
				
				

K 217

			
	mm	mm	kg/m
	240	18,0	5,00
	250	18,0	5,17
			
			
			
			
			
			
			
			
			
			
			
			



K 218

			
	mm	mm	kg/m
	250	20,5	5,61
	260	20,5	5,83
	270	20,5	6,11
			
			
			
			
			
			
			
			
			
			
			

K 219

			
	mm	mm	kg/m
	250	19,0	5,07
	260	19,0	5,27
			
			
			
			
			
			
			
			
			
			
			
			

KHT2
K 220

				
	mm	mm	kg/m	m
	250	21,5	6,02	3,19
	260	21,5	6,10	3,24
	270	21,5	6,56	3,06
				
				
				
				
				
				
				
				
				
				
				

KST2
K 222

				
	mm	mm	kg/m	m
	230	20,5	4,64	2,90
	250	20,5	5,38	3,18
	260	20,5	5,56	3,26
	270	20,5	5,90	3,06
				
				
				
				
				
				
				
				
				
				

Spezialeinsätze / Special Applications

K 63**



			
mm	mm	kg/m	m
270 280	26,0 26,0	8,39 8,75	3,30 3,30

K 64**



			
mm	mm	kg/m	m
220 240	25,0 25,0	5,92 6,52	3,21 3,39 3,22 3,32 3,42

K 66**



			
mm	mm	kg/m	m
240	32,0	7,85	3,34 3,42 3,50

K 68**



			
mm	mm	kg/m	m
365	17,5	7,37	2,83 3,53

K 69**



			
mm	mm	kg/m	m
300 325	24,0 24,0	6,60 7,07	3,76 3,76

K 70



		
mm	mm	kg/m
135 150 165 185 195 210 220 240 260	12,5 12,5 14,0 14,5 15,0 20,0 20,0 19,0 19,0	2,43 2,36 2,87 3,29 3,46 4,97 5,31 5,59 6,14

Spezialeinsätze / Special Applications

K 71**				
	mm	mm	kg/m	m
	370	23,5	9,21	3,50
				

K 75**				
	mm	mm	kg/m	m
	320	20,0	5,96	3,47
				

Die Metergewichte können produktionsbedingt um +/- 2 % variieren.
 Weight per meter may vary by +/- 2 % according to production batch.
 I pesi al metro possono subire una variazione del +/- 2 % dovuta alla produzione.
 Les poids linéaires peuvent varier en production de +/- 2 %.
 Los pesos lineales pueden variar en mas o menos 2 %.

Standardlänge aller Streifen ~ 10 m

** ausgenommen excluded escluso exclu excluido

K 19 (390 mm), K 60 (220 mm, 230 mm), K 63, K 64, K 66, K 68, K 69, K 71, K 75

Standardlength of all treads ~ 10 m

Lunghezza standard di tutte battistrade prestampate ~ 10 m

Longueur standard de toutes les bandes prévlc. ~ 10 m

Longitud estándar de todas las bandas ~ 10 m

* zum microprofilieren geeignet

* also available as micro-siped

* versione anche con micro-tagli

* livrable également avec microprofilage

* también disponible con micro surcos

Änderungen vorbehalten / Modifications reserved / Modifiche riservate / Sous réserve de modifications / Reservado el derecho a introducir modificaciones